

KANAWHA COUNTY COMMISSION

P.O. Box 3627
Charleston, WV 25336
(304) 357-0115

Request for Quotations

Re: Carbon SCBA Cylinders for the Marmet Community Fire Department

Date: December 27, 2011

Bid Opening: Bids must be received on or before Tuesday, January 10, 2012, at 11:15 a.m. in the Kanawha County Commission Purchasing Department located at 407 Virginia Street, East, Third Floor, Room 229, Charleston, WV 25301

INSTRUCTIONS TO BIDDERS:

***PLEASE USE THIS COVER SHEET FOR YOUR BID**

1. Bids must be received in a sealed envelope with the date and time of the bid opening on the outside of the envelope. Faxed bids will not be accepted.
2. Bid must be F.O.B. Delivery Point, unless otherwise indicated in proposal.
3. All bids should be signed and in ink, showing all facts and the total amount of the bid.
4. The Marmet Community Fire Department reserves the right to accept or reject, in part or in whole any bid submitted, whichever is in the best interest of the Marmet Community Fire Department.

Item #	Description	Amount
1	Scott - Carbon SCBA cylinders – 45min duration, 4500 psig, and meets DOT specifications	\$_____ Each
2	Scott - Carbon SCBA cylinders – 30 min duration, 3,000 psig, and meets DOT specifications	\$_____ Each

Vendor Name: _____
Address: _____

Signature: _____
Date: _____
Telephone: _____

SPECIFICATIONS

KANAWHA COUNTY COMMISSION
CHARLESTON, WEST VIRGINIA

ITEM: Carbon SCBA Cylinders for the Marmet Community Fire Department

CONTACT: Jerie Whitehead Purchasing Director Kanawha County Commission P.O. Box 3627 Charleston, WV 25336 (304) 357-0115 jeriewhitehead@kanawha.us	C.W. Sigman Kanawha County OES Kanawha County Commission 407 Virginia Street, East Charleston, WV 25301 (304) 357-0101 cwsigman@metro911.org
---	--

BID OPENING: Bids must be received in a sealed envelope, with the date and time of the bid opening on the outside of the envelope, on or before Tuesday, January 10, 2012, at 11:15 a.m., at the Kanawha County Commission Purchasing Department, 407 Virginia Street, East, Third Floor, Room 229, Charleston, WV 25301 (P.O. Box 3627, Charleston, WV 25336). *Faxed bids will not be accepted.*

SPECIFICATIONS: The following specifications are intended to describe Self-Contained Breathing Apparatus for the Marmet Community Fire Department and the details contained in these specifications are not designed to exclude any vendor from bidding, but are offered as a means of describing the needs of the Marmet Community Fire Department. Where brand names may be used, the words "or equal" are assumed to follow. All specifications are minimum requirements.

Self-Contained Breathing Apparatus

Due to possible service related issues, all bidders must have an authorized distributor located in the State of West Virginia that is well versed in repair aspects of the self-contained breathing apparatus (SCBA). The distributor shall offer service and maintain parts to minimize down-time for any units should they be in need of service. The distributor shall also offer an in-house annual SCBA flow testing program.

Scott Carbon SCBA Cylinders

1. Carbon cylinders with working pressures of 3,000 or 4,500 psig.
2. Aluminum alloy inner shell and wrapped in carbon fiber, fiberglass and an epoxy resin.
3. 15 year life expectancy – (hydrostatic testing every five years)

TERMS & CONDITIONS:

Real Estate and Personal Property Taxes: "No bid will be accepted or opened on any County contract if the vendor is listed on the last published list of delinquent real or personal property taxes in Kanawha County; however, the Commission will accept bids by vendors who provide satisfactory proof of payment of current taxes or a certification from the Sheriff that no taxes are due prior to submission of said bid."

Required Forms: Vendor shall complete and submit, or have on file with the County, a Vendor Registration and Disclosure Statement Form.

Once bids are unsealed, all bid documents become Public Record. The Marmet Community Fire Department reserves the right to reject any and/or all bids and to waive any informality in bidding.