National Flood Insurance Program

Elevation Certificate

and Instructions

2023 EDITION





U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

ELEVATION CERTIFICATE AND INSTRUCTIONS

PAPERWORK REDUCTION ACT NOTICE

Public reporting burden for this data collection is estimated to average 3.75 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and submitting this form. You are not required to respond to this collection of information unless a valid OMB control number is displayed on this form. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing the burden to: Information Collections Management, Department of Homeland Security, Federal Emergency Management Agency, 500 C Street SW, Washington, DC 20742, Paperwork Reduction Project (1660-0008). **NOTE: Do not send your completed form to this address.**

PRIVACY ACT STATEMENT

Authority: Title 44 CFR § 61.7 and 61.8.

Principal Purpose(s): This information is being collected for the primary purpose of documenting compliance with National Flood Insurance Program (NFIP) floodplain management ordinances for new or substantially improved structures in designated Special Flood Hazard Areas. This form may also be used as an optional tool for a Letter of Map Amendment (LOMA), Conditional LOMA (CLOMA), Letter of Map Revision Based on Fill (LOMR-F), or Conditional LOMR-F (CLOMR-F), or for flood insurance rating purposes in any flood zone. **Routine Use(s):** The information on this form may be disclosed as generally permitted under 5 U.S.C. § 552a(b) of the Privacy Act of 1974, as amended. This includes using this information as necessary and authorized by the routine uses published in DHS/ FEMA-003 – *National Flood Insurance Program Files System of Records Notice* 79 Fed. Reg. 28747 (May 19, 2014) and upon written request, written consent, by agreement, or as required by law.

Disclosure: The disclosure of information on this form is voluntary; however, failure to provide the information requested may impact the flood insurance premium through the NFIP. Information will only be released as permitted by law.

PURPOSE OF THE ELEVATION CERTIFICATE

The Elevation Certificate is an important administrative tool of the NFIP. It can be used to provide elevation information necessary to ensure compliance with community floodplain management ordinances, to inform the proper insurance premium, and to support a request for a LOMA, CLOMA, LOMR-F, or CLOMR-F.

The Elevation Certificate is used to document floodplain management compliance for Post-Flood Insurance Rate Map (FIRM) buildings, which are buildings constructed after publication of the FIRM, located in flood Zones A1–A30, AE, AH, AO, A (with Base Flood Elevation (BFE)), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO, and A99. It may also be used to provide elevation information for Pre-FIRM buildings or buildings in any flood zone.

As part of the agreement for making flood insurance available in a community, the NFIP requires the community to adopt floodplain management regulations that specify minimum requirements for reducing flood losses. One such requirement is for the community to obtain the elevation of the lowest floor (including basement) of all new and substantially improved buildings, and maintain a record of such information. The Elevation Certificate provides a way for a community to document compliance with the community's floodplain management ordinance.

Use of this certificate does not provide a waiver of the flood insurance purchase requirement. Only a LOMA or LOMR-F from the Federal Emergency Management Agency (FEMA) can amend the FIRM and remove the federal mandate for a lending institution to require the purchase of flood insurance. However, the lending institution has the option of requiring flood insurance even if a LOMA/LOMR-F has been issued by FEMA. The Elevation Certificate may be used to support a LOMA, CLOMA, LOMR-F, or CLOMR-F request. Lowest Adjacent Grade (LAG) elevations certified by a land surveyor, engineer, or architect, as authorized by state law, will be required if the certificate is used to support a LOMA, CLOMA, LOMR-F, or CLOMR-F, or CLOMR-F

This certificate is used only to certify building elevations. A separate certificate is required for floodproofing. Under the NFIP, non-residential buildings can be floodproofed up to or above the BFE. A floodproofed building is a building that has been designed and constructed to be watertight (substantially impermeable to floodwaters) below the BFE. Floodproofing of residential buildings is not permitted under the NFIP unless FEMA has granted the community an exception for residential floodproofed basements. The community must adopt standards for design and construction of floodproofed basements before FEMA will grant a basement exception. For both floodproofed non-residential buildings and residential floodproofed basements in communities that have been granted an exception by FEMA, a floodproofing certificate is required.

The expiration date on the form herein does not apply to certified and completed Elevation Certificates, as a completed Elevation Certificate does not expire, unless there is a physical change to the building that invalidates information in Section A Items A8 or A9, Section C, Section E, or Section H. In addition, this form is intended for the specific building referenced in Section A and is not invalidated by the transfer of building ownership.

Additional guidance can be found in FEMA Publication 467-1, Floodplain Management Bulletin: Elevation Certificate.

| Form | Instructions |
|-------|--------------|
| FUIII | msuucuons |

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

ELEVATION CERTIFICATE

IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

| Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insuran SECTION A – PROPERTY INFORMATION | FOR INSURANCE COMPANY USE |
|--|------------------------------------|
| A1. Building Owner's Name: | Policy Number: |
| A2. Building Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or P.U. Koute and Box | Company NAIC Number: |
| City: State: | ZIP Code: |
| A3. Property Description (e.g., Lot and Block Numbers or Legal Description) and/or Tax Parcel Nu | mber: |
| A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.): | |
| A5. Latitude/Longitude: Lat Long Horiz. Datum: | NAD 1927 NAD 1983 WGS 84 |
| A6. Attach at least two and when possible four clear color photographs (one for each side) of the b | building (see Form pages 7 and 8). |
| A7. Building Diagram Number: | |
| A8. For a building with a crawlspace or enclosure(s): | |
| a) Square footage of crawlspace or enclosure(s): sq. ft. | |
| b) Is there at least one permanent flood opening on two different sides of each enclosed area? | ? 🛛 Yes 🗖 No 🗖 N/A |
| c) Enter number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foo Non-engineered flood openings: Engineered flood openings: | |
| d) Total net open area of non-engineered flood openings in A8.c: sq. in. | |
| e) Total rated area of engineered flood openings in A8.c (attach documentation - see Instruct | ions): sq. ft. |
| f) Sum of A8.d and A8.e rated area (if applicable – see Instructions):sq. ft. | |
| A9. For a building with an attached garage: | |
| a) Square footage of attached garage: sq. ft. | |
| b) Is there at least one permanent flood opening on two different sides of the attached garage | ? 🛛 Yes 🗖 No 🗖 N/A |
| c) Enter number of permanent flood openings in the attached garage within 1.0 foot above ad Non-engineered flood openings: Engineered flood openings: | |
| d) Total net open area of non-engineered flood openings in A9.c: sq. in. | |
| e) Total rated area of engineered flood openings in A9.c (attach documentation – see Instruct | ions): sq. ft. |
| f) Sum of A9.d and A9.e rated area (if applicable – see Instructions): sq. ft. | |
| SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFO | ORMATION |
| B1.a. NFIP Community Name: B1.b. NFIP Co | mmunity Identification Number: |
| B2. County Name: B3. State: B4. Map/Panel No. | : B5. Suffix: |
| B6. FIRM Index Date: B7. FIRM Panel Effective/Revised Date: | |
| B8. Flood Zone(s): B9. Base Flood Elevation(s) (BFE) (Zone AO, use | Base Flood Depth): |
| B10. Indicate the source of the BFE data or Base Flood Depth entered in Item B9: | |
| B11. Indicate elevation datum used for BFE in Item B9: CNGVD 1929 CNAVD 1988 Othe | er/Source: |
| B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Pro Designation CBRS OPA | tected Area (OPA)? |
| B13. Is the building located seaward of the Limit of Moderate Wave Action (LiMWA)? | No |

| Form instructions | Form | Instructions |
|-------------------|------|--------------|
|-------------------|------|--------------|

ELEVATION CERTIFICATE

| IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION | PAGES 1-11 | | | | |
|---|-------------------------------------|--|--|--|--|
| Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: | FOR INSURANCE COMPANY USE | | | | |
| City: State: ZIP Code: | Policy Number: Company NAIC Number: | | | | |
| | | | | | |
| SECTION C – BUILDING ELEVATION INFORMATION (SURVEY | REQUIRED) | | | | |
| C1. Building elevations are based on: Construction Drawings* Building Under Construction *A new Elevation Certificate will be required when construction of the building is complete. | n* Finished Construction | | | | |
| C2. Elevations – Zones A1–A30, AE, AH, AO, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, A A99. Complete Items C2.a–h below according to the Building Diagram specified in Item A7. In P | | | | | |
| Benchmark Utilized: Vertical Datum: | | | | | |
| Indicate elevation datum used for the elevations in items a) through h) below. NGVD 1929 NAVD 1988 Other: | | | | | |
| Datum used for building elevations must be the same as that used for the BFE. Conversion factor use If Yes, describe the source of the conversion factor in the Section D Comments area. | | | | | |
| a) Top of bottom floor (including basement, crawlspace, or enclosure floor): | Check the measurement used: | | | | |
| b) Top of the next higher floor (see Instructions): | feet D meters | | | | |
| c) Bottom of the lowest horizontal structural member (see Instructions): | □ feet □ meters | | | | |
| d) Attached garage (top of slab): | D feet D meters | | | | |
| e) Lowest elevation of Machinery and Equipment (M&E) servicing the building (describe type of M&E and location in Section D Comments area): | feet D meters | | | | |
| f) Lowest Adjacent Grade (LAG) next to building: Natural Finished | feet D meters | | | | |
| g) Highest Adjacent Grade (HAG) next to building: Natural Finished | feet I meters | | | | |
| h) Finished LAG at lowest elevation of attached deck or stairs, including structural support: | feet D meters | | | | |
| | | | | | |
| SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERT | | | | | |
| This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by s I certify that the information on this Certificate represents my best efforts to interpret the data availabl statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. | | | | | |
| Were latitude and longitude in Section A provided by a licensed land surveyor? | | | | | |
| Check here if attachments and describe in the Comments area. | | | | | |
| Certifier's Name: License Number: | Place Seal Here | | | | |
| Title: | | | | | |
| Company Name: | | | | | |
| Address: | | | | | |
| City: State: ZIP Code: | | | | | |
| Telephone: Ext.: Email: | | | | | |
| | | | | | |
| Date: | | | | | |
| Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner. | | | | | |
| Comments (including source of conversion factor in C2; type of equipment and location per C2.e; and | d description of any attachments): | | | | |
| | | | | | |
| | | | | | |

ELEVATION CERTIFICATE IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

| Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) o | or P.O. Route and | Box No.: | FOR INSURA | NCE COMPANY USE | | |
|---|--------------------|----------------|------------------|---|--|--|
| | | | | Policy Number: | | |
| City: State: ZIP Code: | | | | Company NAIC Number: | | |
| SECTION E – BUILDING MEASUREMENT INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO, ZONE AR/AO, AND ZONE A (WITHOUT BFE) | | | | | | |
| For Zones AO, AR/AO, and A (without BFE), complete Items E1–E5. For Items E1–E4, use natural grade, if available. If the Certificate is intended to support a Letter of Map Change request, complete Sections A, B, and C. Check the measurement used. In Puerto Rico only, enter meters. | | | | | | |
| Building measurements are based on: Construction Drawings* Building Under Construction* Finished Construction *A new Elevation Certificate will be required when construction of the building is complete. | | | | | | |
| E1. Provide measurements (C.2.a in applicable Building Diagram) for measurement is above or below the natural HAG and the LAG. | the following and | l check the ap | propriate boxes | to show whether the | | |
| a) Top of bottom floor (including basement, crawlspace, or enclosure) is: | 🔲 🗖 feet | meters | above or | Delow the HAG. | | |
| b) Top of bottom floor (including basement, crawlspace, or enclosure) is: | 🔲 🗖 feet | meters | above or | below the LAG. | | |
| E2. For Building Diagrams 6–9 with permanent flood openings provide next higher floor (C2.b in applicable | ed in Section A It | ems 8 and/or | 9 (see pages 1– | 2 of Instructions), the | | |
| | feet | meters | Dabove or | Delow the HAG. | | |
| E3. Attached garage (top of slab) is: | feet | meters | above or | Delow the HAG. | | |
| E4. Top of platform of machinery and/or equipment servicing the building is: | 🔲 🗖 feet | D meters | Dabove or | below the HAG. | | |
| E5. Zone AO only: If no flood depth number is available, is the top of floodplain management ordinance? | | | | e community's ormation in Section G. | | |
| SECTION F – PROPERTY OWNER (OR OWNER'S | AUTHORIZED I | REPRESEN | TATIVE) CERT | IFICATION | | |
| The property owner or owner's authorized representative who complet sign here. The statements in Sections A, B, and E are correct to the be | | | ne A (without BF | E) or Zone AO must | | |
| Check here if attachments and describe in the Comments area. | | | | | | |
| Property Owner or Owner's Authorized Representative Name: | | | | | | |
| Address: | | | | | | |
| City: | | | | | | |
| Telephone: Ext.: Email: | | | | | | |
| | Date: | | | | | |
| Comments: | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

ELEVATION CERTIFICATE IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11

| Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: | | | | | FOR INSURANCE COMPANY USE | | | | |
|--|---|----------------------|--------------|----------------------------|-----------------------------|--|--|--|--|
| | | | | Policy Number: | | | | | |
| City: | State: Z | Company NAIC Number: | | | | | | | |
| SECTION G – COMMUNITY INFORMATION (RECOMMENDED FOR COMMUNITY OFFICIAL COMPLETION) | | | | | | | | | |
| | cal official who is authorized by law or ordinance to administer the n A, B, C, E, G, or H of this Elevation Certificate. Complete the ap | | | | inance can complete | | | | |
| G1. | The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by state law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.) | | | | | | | | |
| G2.a. | ^{2.a.} A local official completed Section E for a building located in Zone A (without a BFE), Zone AO, or Zone AR/AO, or when item E5 is completed for a building located in Zone AO. | | | | | | | | |
| G2.b. | A local official completed Section H for insurance purposes. | | | | | | | | |
| G3. | In the Comments area of Section G, the local official describes | s specific correctio | ns to the in | formation in | Sections A, B, E and H. | | | | |
| G4. | The following information (Items G5–G11) is provided for com | munity floodplain r | nanageme | nt purposes. | | | | | |
| G5. | Permit Number: G6. Date Perm | it Issued: | | | | | | | |
| G7. | Date Certificate of Compliance/Occupancy Issued: | | | | | | | | |
| G8. | This permit has been issued for: New Construction Sub | ostantial Improvem | ent | | | | | | |
| G9.a. | Elevation of as-built lowest floor (including basement) of the building: | | Dfeet | D _{meters} | Datum: | | | | |
| G9.b. | Elevation of bottom of as-built lowest horizontal structural member: | | Dfeet | O _{meters} | Datum: | | | | |
| G10.a | . BFE (or depth in Zone AO) of flooding at the building site: | | Dfeet | D _{meters} | Datum: | | | | |
| G10.b | Community's minimum elevation (or depth in Zone AO) requirement for the lowest floor or lowest horizontal structural member: | | Dfeet | _ | Datum: | | | | |
| G11. | Variance issued? Yes ONO If yes, attach documenta | | _ | Umeters | | | | | |
| The lo | cal official who provides information in Section G must sign here. | | | | on G and certify that it is | | | | |
| | t to the best of my knowledge. If applicable, I have also provided a | | | | | | | | |
| Local | Official's Name: | Title: | | | | | | | |
| NFIP (| Community Name: | | | | | | | | |
| Teleph | | | | | | | | | |
| Addres | SS: | | | | | | | | |
| City: | | S | tate: | ZIP Co | ode: | | | | |
| | | | | | | | | | |
| | | Date: | | | | | | | |
| | ents (including type of equipment and location, per C2.e; descript ns A, B, D, E, or H): | tion of any attachm | ents; and | corrections to | o specific information in | | | | |
| 00010 | , , , , , , , , , , , , , , , , , , , | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

ELEVATION CERTIFICATE

| IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 | | | | | | | |
|---|----------------------|-----------------------|-------------------|-------------|--|---------------------|--|
| Building Street Address (including | Apt., Unit, Suite, | , and/or Bldg. No.) (| or P.O. Route and | Box No.: | FOR IN | SURANCE COMPANY USE | |
| City: State: ZIP Code: | | | | | Policy Number: Company NAIC Number: | | |
| SECTION H – BUILDING'S FIRST FLOOR HEIGHT INFORMATION FOR ALL ZONES (SURVEY NOT REQUIRED) (FOR INSURANCE PURPOSES ONLY) | | | | | | | |
| The property owner, owner's authorized representative, or local floodplain management official may complete Section H for all flood zones to determine the building's first floor height for insurance purposes. Sections A, B, and I must also be completed. Enter heights to the nearest tenth of a foot (nearest tenth of a meter in Puerto Rico). <i>Reference the Foundation Type Diagrams (at the end of Section H Instructions) and the appropriate Building Diagrams (at the end of Section I Instructions) to complete this section.</i> | | | | | | | |
| H1. Provide the height of the top of | of the floor (as ind | dicated in Foundati | on Type Diagrams | s) above th | e Lowest Ad | jacent Grade (LAG): | |
| a) For Building Diagrams 1 / floor (include above-grade floo crawlspaces or enclosure floo | ors only for build | | | feet | D _{meters} | Dahove the LAG | |
| b) For Building Diagrams 2/ higher floor (i.e., the floor above enclosure floor) is: | | | | feet | D _{meters} | above the LAG | |
| H2. Is all Machinery and Equipme H2 arrow (shown in the Found Yes | | | | | | | |
| SECTION I – PROPE | RTY OWNER | (OR OWNER'S | AUTHORIZED R | EPRESE | NTATIVE) | CERTIFICATION | |
| The property owner or owner's authorized representative who completes Sections A, B, and H must sign here. <i>The statements in Sections A, B, and H are correct to the best of my knowledge</i> . Note: If the local floodplain management official completed Section H, they should indicate in Item G2.b and sign Section G. | | | | | | | |
| Check here if attachments are p | rovided (includin | g required photos) | and describe each | n attachme | ent in the Cor | nments area. | |
| Property Owner or Owner's Author | ized Representa | ative Name: | | | | | |
| Address: | | | | | | | |
| City: | | | | State: | ZIP | Code: | |
| Telephone: | Ext.: | _ Email: | | | | | |
| | | | Date: | | | | |
| Comments: | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

| Form | Instructions |
|---------|--------------|
| 1 01111 | |

ELEVATION CERTIFICATE IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 BUILDING PHOTOGRAPHS

See Instructions for Item A6.

| | 000 1100 | | | |
|--|--|---|---------------------|--|
| Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.: | | | | E COMPANY USE |
| Policy Number: | | | | |
| City: | State: | ZIP Code: | Company NAIC N | |
| | | | Company NAIC N | |
| Instructions: Insert below at least two and when to take front and back pictures of townhouses/ro "Right Side View," or "Left Side View." Photogra up photograph of representative flood openings | owhouses). Identi aphs must show th | fy all photographs with the date take ne foundation. When flood openings | n and "Front View," | "Rear View," |
| | | Photo One | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Photo One Caption: | | | | Clear Photo One |
| | | | | <u>. </u> |
| | | Photo Two | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Photo Two Caption: | | | | Clear Photo Two |

ELEVATION CERTIFICATE IMPORTANT: MUST FOLLOW THE INSTRUCTIONS ON INSTRUCTION PAGES 1-11 **BUILDING PHOTOGRAPHS**

Continuation Page

| | Conti | nualion Page | |
|---|--------|---------------------------------|---------------------------|
| Building Street Address (including Apt., Unit, Suite, and/or Bldg. | | No.) or P.O. Route and Box No.: | FOR INSURANCE COMPANY USE |
| | | | Policy Number: |
| City: | State: | ZIP Code: | Company NAIC Number: |
| Insert the third and fourth photographs below. Identify all photographs with the date taken and "Front View," "Rear View," "Right Side View," or "Left Side View." When flood openings are present, include at least one close-up photograph of representative flood openings or vents, as indicated in Sections A8 and A9. | | | |
| Photo Three | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Photo Three Caption: | | | Clear Photo Three |
| Photo Four | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Photo Four Caption: | | | Clear Photo Four |